


ALTI KÖŞE V KAYIŞLAR




Tip		
AA	BB	CC

Tip	$b_0 \sim$	$h \sim$
AA / HAA	13 mm	10 mm
BB / HBB	17 mm	13 mm
CC / HCC	22 mm	17 mm



DAR KESİTLİ V KAYIŞLAR



Tip	Ebatlar
SPZ	9.7 × 8 mm
SPA	12.7 × 10 mm
SPB	16.3 × 13 mm
SPC	22 × 18 mm


Tip	Ebatlar
3V / 9N	9 × 8 mm
5V / 15N	15 × 13 mm
8V / 25N	25 × 23 mm



Tip	Ebatlar
XPZ	9.7 × 8 mm
XPA	12.7 × 10 mm
XPB	16.3 × 13 mm
XPC	22 × 18 mm

Tip	Ebatlar
AVX 10 / 9.5	10 × 8 mm
AVX 13 / 12.5	13 × 10 mm

KLASİK V KAYIŞLAR



Profil	Ölçüler
8	8 x 5 mm
Z / 10	10 x 6 mm
A / 13	13 x 8 mm
B / 17	17 x 11 mm
20	20 x 12.5 mm
C / 22	22 x 14 mm
25	25 x 16 mm
D / 32	32 x 20 mm
E / 40	40 x 25 mm




Profil	Ölçüler
ZX / X 10	10 x 6 mm
AX / X 13	13 x 8 mm
BX / X 17	17 x 11 mm
CX / X 22	22 x 14 mm

KOPÇALI V KAYILAR




Tip			
10 mm	13 mm	17 mm	22 mm


Bağlantı elemanları



KARFTBAND V KAYIŞLAR



Tip		
3 V / 9 J	SPB	A / HA
5 V / 15 J	SPC	B / HB
8 V 25 J		C / HC
		D / HC



Tip	3V/9J	5V/15J	8V 25J	SPB	SPC
$b_0 \sim$ mm	9	15	25	16.5	22
$h \sim$ mm	9.9	15.1	25.5	15.6	22.6
$e \sim$ mm	10.3	17.5	28.6	19.0	25.5


Tip	A/HA	B/HB	C/HC	D/HD
$b_0 \sim$ mm	13	17	22	32
$h \sim$ mm	9.9	13	16.2	22.4
$L_a \sim L_i +$ mm	36	62	75	111
$e \sim$ mm	15.88	19.05	25.4	36.53

PERÇİNLİ V KAYIŞLAR

Tip		
AA	BB	CC
Z / 10 mm	A / 13 mm	B / 17 mm
C / 22 mm		



Tip		
Z	A	B
C		




Tip		
SPA	SPB	SPC



POLY-V KAYIŞLAR



Tip	h	e
H / PH	3.00 mm	1.60 mm
J / PJ	3.50 mm	2.34 mm
K / PK	5.50 mm	3.56 mm
L / PL	7.00 mm	4.70 mm
M / PM	13.00 mm	9.40 mm



VARYATÖR KAYIŞLARI



Tip			
13 x 5 mm	23 x 10 mm	32 x 10 mm	52 x 16 mm
17 x 5 mm	26 x 8 mm	37 x 10 mm	55 x 16 mm
21 x 6 mm	28 x 8 mm	41 x 13 mm	65 x 20 mm
22 x 8 mm	30 x 10 mm	47 x 13 mm	70 x 18 mm

POLİÜRETAN V KAYIŞLAR

	RL	RLW	RO	ROS
Dayanıklılık	80 Shore A	83 Shore A	83 Shore A	83 Shore A
Sıcaklık	-40 °C to 55 °C	-40 °C to 55 °C	-40 °C to 55 °C	-40 °C to 55 °C
Sürtünme	0.55	0.55	0.55	0.55
FDA / USDA	Evet	Evet	Evet	Evet

	RPN	RPS	RM	RMW	RCW
Dayanıklılık	88 Shore A	88 Shore A	90 Shore A	95 Shore A	100 Shore A
Sıcaklık	-40 °C to 80 °C	-30 °C to 80 °C	-30 °C to 60 °C	-30 °C to 60 °C	-20 °C to 75 °C
Sürtünme	0.38	0.40	0.45	0.36	0.27
FDA / USDA	Hayır	Hayır	Evet	Evet	Evet

	VL*	VLW*	VO*	VO-GT
Dayanıklılık	80 Shore A	80 Shore A	83 Shore A	
Sıcaklık	-40 °C to 55 °C	-40 °C to 55 °C	-40 °C to 55 °C	
Sürtünme	0.55	0.55	0.55	
FDA / USDA	Evet	Evet	Evet	

	VOS*	VOS-GT	VM*	VMW*	VH*
Dayanıklılık	83 Shore A	83 Shore A	90 Shore A	95 Shore A	100 Shore A
Sıcaklık	-40 °C to 55 °C	-40 °C to 55 °C	-30 °C to 60 °C	-30 °C to 60 °C	-20 °C to 75 °C
Sürtünme	0.55	0.55	0.45	0.36	0.28
FDA / USDA	Evet	Evet	Evet	Evet	Evet

	VL-RT	VM-RT	VLW-RT	VMF
Dayanıklılık	80 Shore A	90 Shore A	80 Shore A	90 Shore A
Sıcaklık	-40 °C to 55 °C	-30 °C to 60 °C	-40 °C to 55 °C	-30 °C to 60 °C
Sürtünme	0.55	0.45	0.55	0.45
FDA / USDA	Evet	Evet	Evet	Hayır

	DVL	DVO
Dayanıklılık	80 Shore A	83 Shore A
Sıcaklık	-40 °C to 55 °C	-40 °C to 55 °C
Sürtünme	0.55	0.55
FDA / USDA	Evet	Evet